

# GASTHOF LEND-PLATZL

<b>CONTACT</b>	<b>2</b>
<b>GENERAL INFORMATION</b>	<b>2</b>
<b>ACCESSIBILITY</b>	<b>2</b>
Accessibility Public transport	2
<b>PARKING</b>	<b>2</b>
<b>OUTDOOR PATHS</b>	<b>3</b>
<b>ENTRANCE</b>	<b>3</b>
<b>RESTAURANT</b>	<b>4</b>
<b>OUTDOOR SEATING AREA</b>	<b>5</b>
<b>GENERAL ACCESSIBLE WC (GROUND FLOOR)</b>	<b>5</b>
Door	5
Toilet	5
Washbasin	6
Other	6



**CONTACT**

**GASTHOF LEND-PLATZL**

Lendplatz 11  
 8020 Graz  
 T +43 316 71 65 67  
 hotel@lendplatzl.at  
<https://www.lendplatzl.at/hotel>

**GENERAL INFORMATION**

The Lend-Platzl is located directly on Lendplatz in the heart of Graz. This traditional inn captivates with its cosy atmosphere inside and its idyllic outdoor dining area.

The restaurant specialises in Styrian cuisine with regional products from the nearby farmers’ market.

À la carte breakfast is also available here.

The staff are friendly and helpful. They want to make the stay pleasant for all guests.

Wheelchair users can use the entrance via the outdoor dining area. There is a 4-centimetre threshold there.

There are steps between some indoor dining areas. However, there are plenty of tables in dining areas that are accessible without having to negotiate any steps.

**ACCESSIBILITY**

**Accessibility Public transport**

Bitte benutzen Sie den Routenplaner der Verbundlinie Steiermark:

<https://verkehrsankunft.verbundlinie.at>

**PARKING**

There are accessible parking spaces in two locations:

- In the public “Contipark” car park, 150 metres away.
- At Lendplatz near the market square, 120 metres away.



Public parking space

## OUTDOOR PATHS

- Access to the inn is step-free, **but not threshold-free** (thresholds max. 3 cm high)
- Path at least 150 cm wide, completely level
- **More than 100 m long**
- Path easy to navigate and low vibration
- Path continuously lit, **not covered**
- Where there are obstacles on the path, a passage width of 90 cm is guaranteed
- Path boundaries easily detectable with a white cane ('Graz T' at pedestrian crossings)
- **No tactile floor guidance system to the entrance**

## ENTRANCE

- **The main entrance is not the accessible entrance**
- Accessible entrance: via the outdoor dining area
- Entrance area is easy to find
- Entrance covered, free of obstacles
- Clear width of entrance door at least 90 cm, **door threshold 4 cm high** (only on one side)
- Hinged door, **rather difficult to open**
- **Door closer**, as it is a fire door
- **Door handles at a height of 130 cm** (standard max. 85 cm)
- Door handle contrasts with adjacent components
- Approach area on opening side at least 200 x 150 cm, on closing side at least 150 x 120 cm
- On the opening and closing sides of the door, there is a side approach area of at least 50 cm next to the door handle
- Grating or dirt-trapping mat easily accessible



Entrance



Entrance

RESTAURANT

- **There are steps between some dining areas.** However, there are plenty of tables in dining areas that are accessible without having to negotiate any steps.
- Passage widths of main corridors at least 100 cm, of cross corridors at least 70 cm
- **Counter higher than 85 cm, no under counter wheelchair access**
- Wheelchair-accessible tables (at least 80 cm wide, 70 cm high, 60 cm deep), table height max. 85 cm
- High chairs for children available
- Seatings 46–50 cm high, with stable armrests and backrests
- Straws can be provided
- There is also a table with adequate noise reduction
- Tables with glare-free lighting are also available
- Menu in large, contrasting, easily legible font
- Restaurant free of dust-prone carpets, upholstered furniture and curtains
- Options available for people with food allergies
- Staff are aware of the ingredients in the dishes, but are not specially trained
- A second accessible entrance (also leading from the outdoor seating area) provides access to an additional dining area (tables with a central leg). To reach the toilet, however, you must go back outside from there and use the first entrance.



Accessible guest room



Accessible guest room



2<sup>nd</sup> barrier-free entrance



Dining room accessible via 2<sup>nd</sup> entrance

## OUTDOOR SEATING AREA

- Outdoor seating is accessible
- Movement areas in the outdoor seating area are not restricted by parasols or plants
- Outdoor seating is separated from the walkway
- **Outdoor tables are not accessible with a wheelchair due to the cross-shaped base (folding tables)**



Outdoor seating area

## GENERAL ACCESSIBLE WC (GROUND FLOOR)

- Step-free access
- Separately located (unisex)
- Movement area of 150 x 150 cm is available in the toilet room

### Door

- Automated sliding door, opens early and closes with a time delay
- **Clear door width 77 cm** (standard min. 80 cm), no door threshold
- Can be unlocked from the outside in an emergency
- Door opening button at standard height, **but not installed within 50 cm of the adjacent wall**
- Approach area on the opening side at least 200 x 150 cm, on the closing side at least 150 x 120 cm

### Toilet

- At least 120 cm of space in front of the toilet bowl for manoeuvring
- Accessible from the left, with at least 90 cm of space on the side for manoeuvring
- Distance between the front edge of the WC and the rear wall to be approached at least 65 cm
- **WC height 53 cm** (standard 46–48 cm), **no backrest available**
- Horizontal grab rails on both sides, grab rails on the approach side can be folded up
- Grab rails at standard height (75–85 cm), distance between grab rails 65–70 cm
- Additional vertical grab rail
- **Grab rails do not protrude more than 15 cm beyond the front edge of the toilet**
- Folded-up grab rail protrudes max. 20 cm into the room
- Folding support handles securely attached to the wall, easy to use
- Flush at standard height (80–110 cm), **not accessible from the toilet while seated**
- Toilet paper accessible from a seated position, but roll not in the folding support handle
- **No emergency bell available**

## Washbasin

- Movement area in front of the washbasin at least 150 x 150 cm
- Top edge of washbasin at standard height
- Clear height under the washbasin at least 70 cm, depth corresponds to standard
- Flat plaster siphon, made of plastic or protected with porcelain
- Under-washbasin wheelchair access over a width of at least 100 cm
- Touch-free or single-lever tap, distance to the front edge of the washbasin max. 20–35 cm

## Other

- Lower edge of mirror max. 95 cm
- **Operating level of fittings not at a height of 80–110 cm**
- **Coat hooks at a height of 140 cm** (standard max. 120 cm)
- Waste bins can also be operated with one hand
- Fittings stand out visually from their surroundings



General barrier-free WC

As of December 2025, all information provided without guarantee

Photos: Graz Tourismus – Harry Schiffer

Source: [http://www.bereit-fuer-barrierefreiheit.eu/de/Betriebe/?xt=CEDOSCheckResults&xtMethod=showDataset&cat\\_id=1640&tobj\\_id=3188](http://www.bereit-fuer-barrierefreiheit.eu/de/Betriebe/?xt=CEDOSCheckResults&xtMethod=showDataset&cat_id=1640&tobj_id=3188)